

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	ATTORNEY DOCKET NO. CONFIRMATION NO.		
10/649,835	08/28/2003	Masanobu Saito	03500.017512	6654		
5514	7590 12/02/2004		EXAM	EXAMINER		
FITZPATRIC	CK CELLA HARPER &	TRAN, F	TRAN, HOAN H			
30 ROCKEFELLER PLAZA						
NEW YORK, NY 10112			ART UNIT	PAPER NUMBER		

DATE MAILED: 12/02/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

					M
	Applicatio	n No.	Applicant(s)		
	10/649,83	5	SAITO ET AL.		
Office Action Summary	Examiner		Art Unit		
	Hoan H. Tr		2852		
The MAILING DATE of this communication appeared for Reply	pears on the	cover sheet with the	correspondence ad	dress	
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a rep - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	136(a). In no ever bly within the statu will apply and will e, cause the appli	nt, however, may a reply be tir tory minimum of thirty (30) day expire SIX (6) MONTHS from cation to become ABANDONE	nely filed /s will be considered timely the mailing date of this co	r. mmunication.	
Status					٠
1) Responsive to communication(s) filed on 2a) This action is FINAL . 2b) This 3) Since this application is in condition for alloware closed in accordance with the practice under the practice.	s action is no ance except f	for formal matters, pro		merits is	
Disposition of Claims					
4) ☐ Claim(s) 1-24 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) 1-24 is/are allowed. 6) ☐ Claim(s) is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	awn from con				
Application Papers	•				
9)⊠ The specification is objected to by the Examine 10)⊠ The drawing(s) filed on 28 August 2003 is/are: Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11)□ The oath or declaration is objected to by the Example 2015.	a) accep drawing(s) be ction is require	e held in abeyance. Se ed if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CF	R 1.121(d).	
Priority under 35 U.S.C. § 119					
a) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	ts have beer ts have beer prity docume au (PCT Rule	n received. n received in Applicat nts have been receive 17.2(a)).	ion No ed in this National	Stage	
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 08/03,10/03, 10/04.	·)	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate)-152)	

Application/Control Number: 10/649,835

Art Unit: 2852

DETAILED ACTION

This application is in condition for allowance except for the following formal matters:

Specification

1. The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed.

Drawings

- 2. The drawings are objected to because:
 - Fig. 1, reference numerals "74" representing the cartridge memories of the cartridges [81, 82, 83] of both apparatuses [101, 102] need to be changed to --71, 72, 73--, respectively. [See page 11]
 - Fig. 2, in apparatus [102], the interval between the transferring materials [P] needs to be shown correctly; i.e., end of top sheet and top of bottom sheet must be shown to be apart by a distance W.
 - Fig. 3B, block 15, "LUMP" needs to be changed to --LAMP--.
 - Figs. 4A and 4B, bottom block, "LUMP" needs to be changed to --LAMP--.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must

be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Prosecution on the merits is closed in accordance with the practice under *Ex parte*Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

Allowable Subject Matter

3. Claims 1-24 are allowed.

Prior Art

- 4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:
 - Sasame et al. ['745] disclose an image forming apparatus having a plurality of image forming stations.
 - Wachter et al. ['216] disclose a system for estimating the remaining life of a print cartridge.

Application/Control Number: 10/649,835 Page 4

Art Unit: 2852

- Takayanagi et al. ['178] disclose an image forming apparatus having an interchangeable cartridge.

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hoan H. Tran whose telephone number is (571) 272-2141. The examiner can normally be reached from 8:30 AM - 5:00 PM Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Arthur Grimley can be reached at (571) 272-2136. The central office fax number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

HHT

Nov. 28, 2004

HOANTRAN
PRIMARY EXAMINED